

LACK OF NUTRITION PROBLEM AMONG PRIMARY SCHOOL PUPILS IN MEDAN MUNICIPALITY

Nenni Dwi APRIANTI LUBIS

University of North Sumatera, Medan, North Sumatera, Indonesia

Tetty Aman NASUTION

University of North Sumatera, Medan, North Sumatera, Indonesia

Ritta Kumari PERMALU

University of North Sumatera, Medan, North Sumatera, Indonesia

1. Introduction

Referring to the Indonesia Development Guidelines (*Garis Besar Haluan Negara /GBHN*) in 2013, Human Development starts from an early age. Due to this topic, this study focused on the quality of human resources; it can be seen from the nutritional. From the population survey of the year 2010 is known around 28% of the total population of Indonesia were 5-19 years old. School-aged children are experiencing rapid growth and accompanied an increase in physical activity (10). During this time, the consumption of healthy and nutritious foods are becoming a crucial part to ensure his nutritional and energy needs are met. If nutrition needs are not fulfilled, it will cause a failure of physical growth and development of intelligence, decreased endurance body thereby increasing the number of

pain and death. School-aged children who were suffering malnutrition would show the weakness and less excited, quickly tired and susceptible to disease; so that the children were less concentrated and finally absence in school lessons. Moreover the learning achievement of pupils finally be decreased (12). The consumption of healthy and nutritious foods has been so important to have the guaranteed pupils' nutritional needs. The imbalance intake of certain micronutrients can cause disorder to children that may affect intelligence, health and immune status moreover will decrease their learning achievements.

Nutritional requirements were grouped into two major groups namely the macronutrient and micronutrients (2). Macronutrient is large amounts of nutrients in a food composition included of carbohydrates, fats and proteins that serve as source of energy, play a role in the growth, metabolism and regulate of body functions. In contrast, micronutrients are elements that our body needs in small amounts and used for carrying out physiological functions of the body. Micronutrients includes of vitamins and minerals. The macronutrient deficiency usually accompanied by micronutrients deficiency too. Less intake of certain micronutrients may cause children growth disorder moreover may affect intelligence, health and immune status; and decrease the learning achievements. Learning achievement was identical to the result of learning process and is generally expressed in numbers or letters which can be standardized.

Based on basic health research data in 2007, the prevalence of school-aged children whom got malnutrition is 18.4% and this number has decreased to 17.9% in 2010. Eventough, Indonesia still among the 36 countries in the world contributed in 90% of the world's nutrition problems. The prevalence of the disorder due to a deficiency of Iodium (GAKI in Indonesia) reached 11.1%. Therefore, Iodium is one of four national nutritional deficiency problems in Indonesia and it has been an obstacle to the development of human resources. The reason is, in addition to the occurrence of enlargement of the thyroid gland, deficiency of Iodium in pregnant women will cause the risk of stillbirth, defects in the newborn, even neurodevelopment disorders, as well as mental and physical disorder too. These disorders can result low learning achievement in children of school-aged, declining work productivity in adults which ultimately have an impact on a wide range of socio-economic problems communities that may inhibit country development.

Ferrum is a mineral that plays an important role in the formation of red blood cells. Lack of Ferrum in the body may end up in iron deficiency Anemia (ADB). Household health survey in 2007 showed a 40-45% toddler in Indonesia experienced the ADB. This is important because it affects the intelligence of the child. This condition was susceptible in infant and childhood due to the increased needs of Ferrum along with growth spurt and not enough fulfillment through food intake.

Zinc deficiency in the body can lead to health problems in the form of difficult wounds healing, stunted growth, decreased immunity, mental disorders, diarrhea, hair loss and loss of appetite. In addition, the deficiency of Zinc will affect especially in constructed brain structure, brain function, disruptive behaviors and emotional responses that may impaired concentration and eventually lower the learning achievements.

Black (3) mentioned that deficiency of trace elements such as Iodium, Ferrum and Zinc associated with the children cognitive. Moreover, Wisniewski in 2010 mentioned the shortage of micronutrients may cause decrease in cognitive and intellectual abilities as well as low body endurance. So far there has been no research that illustrates trace elements intake in children's school-aged in Medan city. Therefore, this research aims to know the profile of micronutrients (Iodium, Ferrum, Zinc) intake and learning achievement in fifth grade students of Primary School 067777 Medan City in 2013.

Method

This research was conducted in the cross sectional design. The subjects of this study are fifth grade pupils of Primary School 06777 Medan Municipality from 2013/2014 academic year. The purposive sample inclusion criteria was of those fifth grade pupils (whom may answer questions correctly and independently). There in taken 45 of fifth grade pupils had been elected in purposive sampling. Data collection in this study were including; a primary data; characteristics of the sample and their family, the daily food consumption and learning achievement. Data were collected by the direct interview techniques using questionnaires. Furthermore, data were processed descriptively according to designation based on certain standards. Data collected by direct interview techniques to subject using the questionnaires.

Sample Collection and Data Analysis

Sample characteristics were divided by ages and sexes. Family characteristics included parents' education and family income. Highest education parents were classified in primary education (finished elementary school), secondary education (junior high school or senior high school) and higher education (college graduations). Income families grouped into less (< minimum waged) and sufficient (> = minimum waged). Standardized minimum waged of North Sumatra Province in 2013 to Medan was IDR 1,375,000,00 (Decreed of Government of North Province; Law no. 188.44/711/KPTS/2012 on 29 November 2012). Food consumption data collected by 2x24 hours recall method outside public holidays. The data were processed to collect the amount of nutrient intake using NutriSurvey software for Windows (Indonesia version of 2007). The data were compared with the micronutrients recommended data according to age and different age group (Almatsier, 2006) Finally, the data showed nutritional levels of consumption. Trace element consumption level are classified as less (<77% level of consumption) and average (>= 77% level of consumption). Learning achievements value taken from the average value of daily student exams in September 2013. The learning achievement value are divided to less (<75) and good (>= 75).

Result and discussion

Subject and Family Characteristics

The study results showed that the age majority of the samples was 10 years old (75.6%), and male (53.3%), the parents highest education was primary education which is father (55.6%) and mother (51.1%) with family income below the minimum regional wage regional (UMR).

Table 1. Subject and Family Characteristics

<i>Variable</i>	<i>N</i>	<i>%</i>
<i>Sample Characteristics</i>		
<i>Age</i>		
9 years	5	11,1
10 years	34	75,6
11 years	6	13,3
<i>Gender</i>		
Female	21	46,7
Male	24	53,3

Family Characteristics		
Highest education (father)		
Primary education	25	55,6
Secondary education	18	40,0
Higher education	2	4,4
Highest education (mother)		
Primary education	23	51,1
Secondary education	22	48,9
Higher education	-	-
Family income		
Less (<= UMR)	38	84,4
Sufficient (>UMR)	7	15,6

Trace Elements Level of Consumption

Compared with the micronutrients requirements data, the overall intake of trace element at less level. Even for Iodine and Zinc, all samples undergo less intake which means Iodine daily requirements were not enough from food intake. (Figure 1.)




Figure 1. Trace Elements Level of Consumption

Learning Achievement

Out of 45 people samples, 24 students are in less category (53%) observed from the average value of their daily exams.




Figure 2. Learning Achievement

Slamento (13) argued that the factors that affect the learning achievement were categorized into two major groups. Internal factors included the physical and psychological conditions (including conditions of the five senses, intelligence, talent and motivation), while external factors made up from families and the environment both at school and in the community. Physical condition generally affects the success of the study. Someone in a healthy condition and good concentration more easily to gain knowledge than people in tired, sleepy and lethargic conditions. This relate to their daily nutrition intake.

A person who consume nutritious, balanced, healthy and safe food is going to have a good nutritional status and achieve optimal growth (1). Malnutrition in children is not only caused by low intake of carbohydrates, proteins and fats, but also related to vitamin and mineral deficiency. The consequences of this deficiency resulted in an increased risk of infectious diseases and deaths as well as inhibits the growth and mental development. The study of Sa'adah, Herman and Sastri in 2014 showed a correlation between nutritional status with the learning achievements of Primary School 01 students in Guguk Malintang, Padang Panjang City. Malnutrition affects endurance against infectious diseases. This circumstance would interfere

with learning process because children are often unhealthy and unable to attend the school.

From Sarma, Wijesinghe and Srivananthaweri study (11) from 802 fourth grade students in Nuwara Eliya, Sri Lanka concluded a correlation between nutritional status with academic achievement at school. Similarly, the same results are obtained from El Hioui, Ahami, Aboussaleh and Rusinek study (5) from 295 school-aged children in Morocco.

From Lestari, Adhim Salimo, and Mustarsid study (7) showed that supporting fortification of Iron-Zinc in the milk gave a good effect on children 7-9 years in Elementary School. Ferrum and Zinc is a basic micronutrients for growth and endurance of the body. Lack of micronutrients also interfere psychomotor development and loss of ability to work. This will have an impact on healthy body. A systematic review on the 4-18 years old children by Lam and Lawlis in 2017 mentioned that micronutrients are important for brain development. Deficiency of certain nutrients will degrade cognitive function. This study includes a variety of study results conducted in various countries in the world. Some are developing countries other was developed countries whom investigate the influence of giving micronutrients in either singular or combination part.

The results showed that nearly whole subjects were deficient in the entire traced elements; Iodium (100%), Ferrum (95.6%) and Zinc (100%). In addition, 24 of 45 subject (53.3%) had less category of learning achievement. Shortage of Iodium in children will increase the incidence of goitre. In Sutomo's study (15) it showed the difference between learning achievements from (Ionium –GAKI Indonesia) patients and non-GAKI patients. Another study from Anindya (1) concluded the relationships between levels of Iodium in urine (EIU) and learning achievement on fifth grade students at Mount Wungkal Pati District.

Prihatin, Zaenudin, Ashar, Rahayu, Djok and Aniek (9) examine the relationship of nutritional anemia of iron against the learning achievement of school children in GAKI endemic regions. Although the research does not show a connection between the status of haemoglobin with Indonesian Language test and test results of math, but it is advisable to program manager of nutrition in the region to improve child nutrition programs in schools in order to prevent anaemia and GAKI cases. Lack Ferrum will interfere psychomotor development, which affect the child slowly in the

completion of language skills, motor coordination, and both. The results of the study, Li Huang, Shi, Luo, and Rozelle in 2017 found that students who suffer from anaemia (low haemoglobin levels) tend to do standard effort for math test and get a bad rating. This finding also suggests that if left untreated, anemia will perpetuate poverty and lead to poor quality of human beings in the future.

Some scientific evidence suggests that the Zinc deficiency will decrease a person's immune system then the person will susceptible to various diseases. Zinc able to improve the function of brain cells. Chaudary, Jora, Gehlot and Sushil Sharma (4) mentioned that Zinc and Ferrum deficiency related to declining memory ability in children and the giving of trace elements will improve memory and concentration capability. This research was conducted at public school with 101 students aged 6-11 years.

Based on this study, the majority of parnets both father and mother's graduation were from primary education. Worthington (16) explained that the pattern of food consumption influenced by internal factors and external factors. The level of family, education, level of family economic, parents knowledge, mass media, the influence of peers were included in external factors. From the study result of Panjaitan research (8) , there is a connection between food consumption patterns with the education, knowledge, family income and number of family members. Someone with higher education will have a vast knowledge and easily to absorb the important message including nutrition information. Food sources of Iodium, Ferrum and Zinc gained from animals source. Ferrum is found in meat, fish and eggs, liver organ is the very rich source of this mineral. In contrast, non-heme Ferrum especially contained in vegetable source such as cereals, legumes and vegetables. Zinc are found in protein sources such as meat, seafood and fishery products. Cereals and legumes are also a good source of Zinc in spite of low bioavailability. Furthermore, Iodium found on marine fisheries products and salt contained Iodium (2).

Family income is an important factor in determining the quality and quantity of foodstuffs (14). The ability of families to buy groceries influenced by their family income, price and availability of foodstuffs on the market. Animal sources generally has difficulties to gain by the community with the secondary income level . According to family income categories were less (84.4%) i.e. less than that of minimum waged of Medan Municipal in 2013 up to IDR 1,375,000, it is known that micronutrients intake cannot be

fulfilled from food because of the low income. In addition, although 91% of households nationwide have been consuming salt with Iodium, but it is found that 50.8% or half of salt at household in Indonesia have less Iodium levels (6).

Conclusion

This study concludes ; the level of of micronutrients consumption on fifth grade students in Primary School 06777 Medan was in less adequate category, i.e. Iodium (100%), Ferrum (95.6%) and Zinc (100%). In addition, learning achievements of students are in the category of less (53.3%) too. Finally, the data displayed the nutritional levels of consumption. Trace element consumption level which wereclassified as less (<77% level of consumption) and average (>= 77% level of consumption). Therefore, the learning achievements value taken from the average value of daily exams of pupils in September 2013 showed less than mastery level; that was (<75).

References and notes:

- Anindya. 2009. *Balanced School Nutrition Needs*. Jakarta: PT Gramedia Pustaka Utama.
- Barasi ME. 2007. *Science of Nutrition – At a Glance*. Halim H, translator. Jakarta: Erlangga. Translated by: *Nutrition – At A Glance*.
- Black M. 2003. Micronutrient deficiencies and cognitive functioning. *Journal of Nutrition* 133;11,3927-3931.
- Chaudary J, Jora R, Sharma P, Gehlot R, Sushil. 2015. A study of iron and zinc deficiency on short term memory in children & effect of their supplementation. *Asian Journal of Biomedical and Pharmaceutical Sciences*. 5;42,12-15. DOI: 10.15272/ajbps.v5i42.664.
- El Hioui M, Ahami AOT, Aboussaleh Y, Rusinek S. 2016. The relationship between nutritional status and educational achievements in the rural school children of Morocco. *J Neurol Neurol Disord*. 3;1,101. DOI: 10.15744/2454-4981.3.101
- Kemenkes RI. 2015. *Situation and analysis of thyroid disease*. Infodatin. ISSN: 2442-7659
- Lestari ED, Adhim ZN, Salimo H, Murtasid. 2010. Effect of iron-zinc fortified milk on physical fitness level of 7-9 year olds in Surakarta primary school. *Sari Pediatri*. 12;2,92-98.
- Panjaitan E. 2008. *Food consumption in farming communities*. Thesis in Public Health Faculty in University of Sumatera Utara (unpublished).
- Prihatin, Zaenudin, Ashar H, Rahayu P, Djok, Aniek. 2016. The relationship of nutritional anemia to school children's learning achievement in endemic areas of GAKI. URI: <http://repository.litbang.kemkes.go.id/id/eprint/720>
- Riyadi BD. 2003. *Regional Development Planning*. Jakarta: PT. Gramedia Pustaka Utama.
- Sarma MSG, Wijesinghe DGNG, Srivananthawerl T. 2013. The effects of nutritional status on educational performance of primary school children in the plantation sector in Nuwara Eliya Educational Zone. *Tropical Agricultural Research*. 24;3,203-214.
- Shokibi A, Nuryanto. Relationship of energy intake, protein, zinc and physical fitness with stunting children's learning achievement at PRIMARY SCHOOL Penganten I, II and III Klambu Sub-district Grobongan Regency. *Journal of Nutrition College*. 4;1,71-78. URL: <http://ejournal-s1.undip.ac.id/index.php/jnc>
- Slamento. 2003. *Learning and Its Affecting Factors*. Jakarta: Rineka Cipta.
- Suhardjo. 1989. *Socio Culture Nutrition*. Bogor: IPB PAU Food and Nutrition.
- Sutomo. 2007. *Learning achievement of children suffering from GAKI and not suffering from GAKI in endemic areas in SD Negeri 1 and 2 Tribudaya Amonggedo District of Konawe Province Southeast Sulawesi Province*. Thesis in Public Nutrition Program and Family Human Resources, Pertanian Faculty, Institut Pertanian Bogor (unpublished).
- Worthington. 2000. *Nutrition Throughout the Life Cycle*. USA: The MacGraw-Hill International Edition.

XÜLASƏ

Medan Bələdiyyəsində ibtidai sinif şagirdləri arasında qidalanma probleminin araşdırılması

Nenni Dvi APRIANTI LUBİS

Şimali Sumatra Universiteti, Medan, Şimali Sumatra, İndoneziya

Tetty Aman NASUTION

Şimali Sumatra Universiteti, Medan, Şimali Sumatra, İndoneziya

Ritta Kumari PERMALU

Şimali Sumatra Universiteti, Medan, Şimali Sumatra, İndoneziya

Uşaqlar bir ölkənin və millətin gələcəyidir. Məktəb yaşlarında, uşaqların sürətlə böyüməsi fiziki aktivliyin artması ilə müşayiət olunur, lakin bəzilərdə qidalanma zəif olur. Bu araşdırmada, Şimali Sumatradada, 067777 sayılı Medan Məktəbinin ibtidai sinif şagirdlərinin dərslərində uğurlu olmasında bir sıra – Yod, Ferrum və Sink kimi elementlərin təsirini araşdırmaq əsas məqsəd kimi qoyulmuşdur.

2013-cü ilin sentyabr ayının sonunda araşdırma üçün məlumatlar toplanıldı. Məlumatlara əsasən, ibtidai sinif şagirdlərindən 45 mövzu seçildi. Tədqiqat məlumatlarına- ailənin xüsusiyyətləri, gündəlik qida istehlakı və şagirdlərin nailiyyətləri daxil edilmişdir. Bu məsələ ilə bağlı araşdırmada əksəriyyət 10 yaşında (75,6%) və 53,3% oğlanlardan ibarət olduğunu göstərdi.

Ümumilikdə , 2013-cü ildə Şimali Sumatra əyalətində bu şagirdlərin valideynləri orta məktəbi bitirmiş, minimum əmək haqqı qazananlardır. Yod (100%), Ferrum (4.4% qarşı 95.6%) və Sink (100%) kimi elementlərin istifadəsinin istehlak səviyyəsi daha az adekvat kateqoriyaya daxildir. Araşdırma nəticəsində bu elementlərin istehlak səviyyəsi orta məktəb-ibtidai sinif şagirdlərinin nailiyyətlərinə yetərli qədər təsir edə biləcəyi qəbul edilmişdir.

Açar sözlər: Qidalanma zəifliyi, uğurlu olmaq, şagird, məktəb, ibtidai sinif

РЕЗЮМЕ

Исследование проблемы питания среди учащихся начальных классов в муниципалитете Медан

Ненни Два Априанти ЛЮБИС
Университет Северной Суматры, Медан, Северная Суматра,
Индонезия

Тетти Аман НАСУТИОН
Университет Северной Суматры, Медан, Северная Суматра,
Индонезия

Ритта Кумари ПЕРМАЛУ
Университет Северной Суматры, Медан, Северная Суматра,
Индонезия

Дети - это будущее страны и нации. В школьном возрасте быстрый рост детей сопровождается увеличением физической активности, но у некоторых наблюдается плохое питание. Основная цель этого исследования состояла в том, чтобы исследовать влияние ряда элементов, таких как йод, железо и цинк, на успех учащихся начальной школы в школе Медан № 067777 в Северной Суматре. В конце сентября 2013 года были собраны данные для исследования. Согласно данным, от учащихся начальной школы были отобраны 45 тем. Данные исследования включали характеристики семьи, ежедневное потребление пищи и успеваемость учащихся. Исследование показало, что большинству было 10 лет (75,6%) и 53,3% были мальчиками.

В целом на Северной Суматре в 2013 году родители этих учеников окончили среднюю школу и заработали минимальную заработную плату. Уровни потребления таких элементов, как йод (100%), феррум (4,4% против 95,6%) и цинк (100%) попадают в менее адекватную категорию. В результате исследования было принято, что уровень потребления этих элементов может оказать существенное влияние на достижения учащихся средней и начальной школы.

Ключевые слова: Недоедание, быть успешным, ученик, школа, начальная школа